

SFD

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

3 Applicant: Honstein, Jerry P. et al. Division: 3732  
4 Serial No.: 10/743,673 Examiner: Stokes, Candace  
5 Capri  
6 Filed: 12/22/2003  
7 For: **DENTAL PROSTHESES MODELING SYSTEM WITH SYMMETRIC  
8 DOUBLE-WELL TRAYS SLIDABLY MOUNTABLE TO ARTICULATOR**

9 Honorable Commissioner For Patents  
10 P.O. Box 1450  
11 Alexandria, VA 22313-1450

12 Dear Sir:

13 Response To Notice Of Drawing Inconsistency

14 This communication is filed in response to the above-identified Notice, that Notice

15 having a mailing date of January 4, 2008, and a shorted statutory period for response set to  
16 expire on February 4, 2008. Please amend the referenced application as follows:

17  
18 the Specification:

19 Brief Description Of The Drawings

20 Figure 14 ~~A~~ is a partly....

21 Respectfully submitted,

22 

23 William L. Chapin, Reg. #27,317  
24 16791 Sea Witch Lane  
25 Huntington Beach, California 92649  
26 Telephone: (714) 625-357

27 RespToNoticeOfDrawingInconsistency  
28



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/743,673	12/22/2003	Jerry P. Honstein	MM3-192	2509

7590 01/04/2008  
William L. Chapin  
Law Offices of William L. Chapin  
16791 Sea Witch Lane  
Huntington Beach, CA 92649

EXAMINER  
STOKES, CANDICE CAPRI

ART UNIT PAPER NUMBER

3732

MAIL DATE DELIVERY MODE

01/04/2008

PAPER

**NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION**

The drawings filed 6-14-04 have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.

Figures 14A are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.

Figures 14 are contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.

Applicant is required to correct the above-noted inconsistency within a time period of **ONE MONTH or THIRTY (30) DAYS, whichever is longer**, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. **NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b).**


Failure to correct the above noted inconsistency will result in abandonment of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

**Return Corrected Drawings/Specification to:**

Mail Stop Issue Fee  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Office of Patent Publication/Publishing Division  
Customer Service: 703-308-6789  
1-888-786-0101



FIRST CLASS MAIL CERTIFICATE

I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class Mail

In an envelope addressed to:

Mail Stop Issue Fee  
Commissioner for Patents  
P. O. Box 1450  
Alexandria, Virginia 22313-1450

on: January 11, 2008

by: William L. Chapin

*William L. Chapin*

Signature

January 11, 2008      Date of Signature